

FEB 22 2006

In the Specification:

Col. 2, lines 9-28, please delete “U.S. Patent No. 4,877,686, for example, discloses a coating comprised of one or more absorbent fillers dispersed in a binder comprised of fully or completely hydrolyzed polyvinyl alcohol, and utilizing boric acid and/or its derivatives as a jelling or coagulating agent for the polyvinyl alcohol. (Air Products and Chemicals, Inc., a manufacturer of polyvinyl alcohol (PVOH), in its U.S. Patent NO. 4,343,133, column 1, line 56 to column 2, line 18, defines “fully hydrolyzed” PVOH as being 95-99% hydrolyzed and defines “partially hydrolyzed” PVOH as being 80-95% hydrolyzed. Partially hydrolyzed PVOH actually comprises a co-polymer of polyvinyl alcohol and polyvinyl acetate.) According to the disclosure of Patent 4,877,686, the boric acid may be incorporated in the base sheet, or applied as a coating to the base sheet, or incorporated in the absorbent filler/PVOH coating composition. In the latter instance, it is said that the boric acid must be deactivated before application to the substrate and reactivated upon application, inasmuch as the gelling of the binder has to take place during the coating operation and not before.”

In the Claims:

Claim 1, line 7 (column 9, line 10); delete "substrates" and insert --substrate-- therefore (as correctly indicated in Claim 50, line 9 of Amendment A filed on September 30, 2003).


Claim 5, (column 9, line 46); delete "to-" (as correctly indicated in Claim 36, line 8 of Amendment A filed on September 30, 2003).

A Certificate of Correction incorporating the delineated changes is enclosed in duplicate herewith. Since the mistakes were on the part of the Patent and Trademark Office, a Certificate of Correction should be issued without expense to the patentees and such is respectfully requested.

Respectfully submitted,

GREER, BURNS & CRAIN, LTD.

By



Carole A. Mickelson

Registration No. 30,778

February 13, 2006
300 South Wacker Drive
Suite 2500
Chicago, Illinois 60606
Telephone: 312.360.0080
Facsimile: 312.360.9315
Customer No. 24978

P:\DOCS\0329\65528\9X8186.DOC

FEB 22 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,746,713
APPLICATION NO.: 10/034,893
ISSUE DATE : June 8, 2004
INVENTOR(S) : Schade et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification

Col. 2, lines 9-28, please delete "U.S. Patent No. 4,877,686, for example, discloses a coating comprised of one or more absorbent fillers dispersed in a binder comprised of fully or completely hydrolyzed polyvinyl alcohol, and utilizing boric acid and/or its derivatives as a jelling or coagulating agent for the polyvinyl alcohol. (Air Products and Chemicals, Inc., a manufacturer of polyvinyl alcohol (PVOH), in its U.S. Patent NO. 4,343,133, column 1, line 56 to column 2, line 18, defines "fully hydrolyzed" PVOH as being 95-99% hydrolyzed and defines "partially hydrolyzed" PVOH as being 80-95% hydrolyzed. Partially hydrolyzed PVOH actually comprises a co-polymer of polyvinyl alcohol and polyvinyl acetate.) According to the disclosure of Patent 4,877,686, the boric acid may be incorporated in the base sheet, or applied as a coating to the base sheet, or incorporated in the absorbent filler/PVOH coating composition. In the latter instance, it is said that the boric acid must be deactivated before application to the substrate and reactivated upon application, inasmuch as the gelling of the binder has to take place during the coating operation and not before."

In the Claims:

Column 9, line 10, delete "substrates" and insert --substrate-- therefore.

Column 9, line 46, delete "to-".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Carole A. Mickelson/GREER, BURNS & CRAIN, LTD.
300 South Wacker Drive, 25th Floor
Chicago, IL 60606

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

FEB 22 2005
RECEIVED

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,746,713
APPLICATION NO.: 10/034,893
ISSUE DATE : June 8, 2004
INVENTOR(S) : Schade et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification

Col. 2, lines 9-28, please delete "U.S. Patent No. 4,877,686, for example, discloses a coating comprised of one or more absorbent fillers dispersed in a binder comprised of fully or completely hydrolyzed polyvinyl alcohol, and utilizing boric acid and/or its derivatives as a jelling or coagulating agent for the polyvinyl alcohol. (Air Products and Chemicals, Inc., a manufacturer of polyvinyl alcohol (PVOH), in its U.S. Patent NO. 4,343,133, column 1, line 56 to column 2, line 18, defines "fully hydrolyzed" PVOH as being 95-99% hydrolyzed and defines "partially hydrolyzed" PVOH as being 80-95% hydrolyzed. Partially hydrolyzed PVOH actually comprises a co-polymer of polyvinyl alcohol and polyvinyl acetate.) According to the disclosure of Patent 4,877,686, the boric acid may be incorporated in the base sheet, or applied as a coating to the base sheet, or incorporated in the absorbent filler/PVOH coating composition. In the latter instance, it is said that the boric acid must be deactivated before application to the substrate and reactivated upon application, inasmuch as the gelling of the binder has to take place during the coating operation and not before."

In the Claims:

Column 9, line 10, delete "substrates" and insert --substrate-- therefore.

Column 9, line 46, delete "to-".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Carole A. Mickelson/GREER, BURNS & CRAIN, LTD.
300 South Wacker Drive, 25th Floor
Chicago, IL 60606

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.